## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **LISTING OF CLAIMS:**

Claims 1 - 20 (Canceled)

Claim 21 (Currently Amended): A method for preventing biological adhesion comprising the steps of:

providing an adhesion preventive material comprising a crosslinking polysaccharide dextrin derivative containing at least one active ester group introduced in a polysaccharide side dextrin chain, and at least one hydroxyl group, wherein the active ester group of the crosslinking polysaccharide dextrin derivative is capable of reacting with the hydroxyl group of its own molecular chain or with a hydroxyl group of a second molecular chain, wherein the adhesion preventive material does not contain a crosslinking agent,

forming an ester polymerization material crosslinked due to covalent binding of the active ester group of the crosslinking polysaccharide dextrin derivative and the hydroxyl group of its own molecular chain or the hydroxyl group of the second molecular chain, when the adhesion preventive material is under an alkaline condition,

wherein the method is effective to prevent biological adhesion in the biological site.

Claim 22 (Canceled)

Claim 23 (Currently Amended): The method according to claim 21, wherein the hydroxyl group is a hydroxyl group on a biological surface, and the polysaccharide dextrin derivative is capable of reacting with a hydroxyl group of a biological surface and adhering to the biological surface.

Claim 24 (Previously Presented): The method according to claim 21, wherein the active ester group is an ester group in which an electrophilic group is bound to a carbonyl carbon thereof.

Claim 25 (Previously Presented): The method according to claim 24, wherein the electrophilic group is a group introduced from an N-hydroxyamine based compound.

Claim 26 (Currently Amended): The method according to claim 21, wherein the polysaccharide dextrin derivative contains the active ester group in an amount of from 0.1 to 2 mmoles/g on the basis of the dry weight thereof.

Claim 27 (Currently Amended): The method according to claim 21, wherein the polysaccharide dextrin derivative further contains a carboxyl group and/or a carboxyalkyl group.

Claim 28 (Currently Amended): The method according to claim 21, wherein

the polysaccharide dextrin derivative is of a non-salt type.

Claim 29 (Currently Amended): The method according to claim 27, wherein a

raw material polysaccharide dextrin into which the active ester group is introduced is

a polysaccharide dextrin which is soluble in an aprotic polar solvent at a temperature

between 60 °C and 120 °C in a non-salt type thereof in a precursor stage of the

crosslinking polysaccharide dextrin derivative containing a carboxyl group and/or a

carboxyalkyl group.

Claim 30 (Currently Amended): The method according to claim 21, wherein a

raw material polysaccharide dextrin into which the active ester group is introduced is

a polysaccharide dextrin which contains neither a carboxyl group nor a carboxyalkyl

group by itself.

Claim 31 (Previously Presented): The method according to claim 21, wherein

the alkaline condition is in a pH range of from 7.5 to 12.

Claim 32 (Currently Amended): The method according to claim 21, wherein

the adhesion preventive material further comprises a polymer other than the cross-

linking polysaccharide dextrin derivative.

Attorney's Docket No. 1029650-000176 Application No. 10/592,956

Page 5

Claim 33 (Currently Amended): The method according to claim 21, wherein

the adhesion preventive material further comprises a pH adjuster in a mixed state

with the cross-linking polysaccharide dextrin derivative.

Claim 34 (Currently Amended): The method according to claim 33, wherein

the adhesion preventive material further comprises a polymer other than the cross-

linking polysaccharide dextrin derivative.

Claims 35 - 39 (Canceled)